


RADIATION HARDENED POWER MOSFET SURFACE MOUNT (SMD-2)

500V, N-CHANNEL RAD-Hard HEXFET TECHNOLOGY

Product Summary

ſ	Part Number	Radiation Level	RDS(on)	I _D
ľ	IRHNA7460SE	100 kRads (Si)	0.32Ω	20A



Description

IR HiRel RAD-Hard HEXFET technology provides high performance power MOSFETs for space applications. This technology has over a decade of proven performance and reliability in satellite applications. These devices have been characterized for both Total Dose and Single Event Effects (SEE). The combination of low Rdson and low gate charge reduces the power losses in switching applications such as DC to DC converters and motor control. These devices retain all of the well established advantages of MOSFETs such as voltage control, fast switching temperature stability of electrical parameters.

Features

- Single Event Effect (SEE) Hardened
- Ultra Low RDS(on)
- Low Total Gate Charge
- Simple Drive Requirements
- · Hermetically Sealed
- Surface Mount
- Light Weight
- ESD Rating: Class 3B per MIL-STD-750, Method 1020

Absolute Maximum Ratings

Pre-Irradiation

Symbol	Parameter	Value	Units	
I _{D1} @ V _{GS} = 12V, T _C = 25°C	Continuous Drain Current	20		
I _{D2} @ V _{GS} = 12V, T _C = 100°C	Continuous Drain Current	12	A	
I _{DM} @ T _C = 25°C Pulsed Drain Current ①		80		
P _D @ T _C = 25°C	Maximum Power Dissipation	300	W	
	Linear Derating Factor	2.4	W/°C	
V_{GS}	Gate-to-Source Voltage	± 20	V	
E _{AS}	Single Pulse Avalanche Energy ②	500	mJ	
I _{AR}	Avalanche Current ①	20	А	
E_{AR}	Repetitive Avalanche Energy ①	30	mJ	
dv/dt	Peak Diode Recovery dv/dt ③	3.8	V/ns	
T _J	Operating Junction and	-55 to + 150		
T_{STG}	Storage Temperature Range		°C	
	Lead Temperature	300 (for 5s)		
	Weight	3.3 (Typical)	g	

For Footnotes, refer to the page 2.

Pre-Irradiation

Electrical Characteristics @ Tj = 25°C (Unless Otherwise Specified)

Symbol	Parameter	Min.	Тур.	Max.	Units	Test Conditions
BV _{DSS}	Drain-to-Source Breakdown Voltage	500			V	$V_{GS} = 0V, I_D = 1.0mA$
$\Delta BV_{DSS}/\Delta T_{J}$	Breakdown Voltage Temp. Coefficient		0.66		V/°C	Reference to 25°C, I _D = 1.0mA
R _{DS(on)}	Static Drain-to-Source On-Resistance			0.32	0	V _{GS} = 12V, I _{D2} = 12A ④
	Static Dialii-to-Source Off-Resistance			0.36	Ω	V _{GS} = 12V, I _{D1} = 20A ④
V _{GS(th)}	Gate Threshold Voltage	2.5		4.5	V	$V_{DS} = V_{GS}$, $I_D = 1.0 \text{mA}$
Gfs	Forward Transconductance	6.0			S	V _{DS} = 15V, I _{D2} = 12A ④
I _{DSS}	Zero Gate Voltage Drain Current			50	^	$V_{DS} = 400V, V_{GS} = 0V$
	Zelo Gate Voltage Dialii Cultelit			250	μA	$V_{DS} = 400V, V_{GS} = 0V, T_{J} = 125^{\circ}C$
I _{GSS}	Gate-to-Source Leakage Forward			100	nA	V _{GS} = 20V
	Gate-to-Source Leakage Reverse			-100	ПА	$V_{GS} = -20V$
Q_G	Total Gate Charge			220		$I_{D1} = 20A$
Q_{GS}	Gate-to-Source Charge			50	nC	V _{DS} = 250V
Q_GD	Gate-to-Drain ('Miller') Charge			110		V _{GS} = 12V
t _{d(on)}	Turn-On Delay Time			35		V _{DD} = 250V
tr	Rise Time			100	ns	I _{D1} = 20A
t _{d(off)}	Turn-Off Delay Time			100	115	$R_G = 2.35\Omega$
t _f	Fall Time			100		V _{GS} = 12V
Ls +L _D	Total Inductance		4.0		nH	Measured from center of Drain pad to center of Source pad
C _{iss}	Input Capacitance		3500			V _{GS} = 0V
Coss	Output Capacitance		730		pF	V _{DS} = 25V
C _{rss}	Reverse Transfer Capacitance		260			f = 1.0MHz

Source-Drain Diode Ratings and Characteristics

Symbol	Parameter	Min.	Тур.	Max.	Units	Test Conditions
Is	Continuous Source Current (Body Diode)			20	^	
I _{SM}	Pulsed Source Current (Body Diode) ①			80	Α	
V _{SD}	Diode Forward Voltage			1.8	V	T _J = 25°C,I _S = 20A, V _{GS} = 0V @
t _{rr}	Reverse Recovery Time			800	ns	$T_J = 25^{\circ}C, I_F = 20A, V_{DD} \le 50V$
Q _{rr}	Reverse Recovery Charge			16	μC	di/dt = 100A/µs ④
t _{on}	Forward Turn-On Time	Intrinsic turn-on time is negligible (turn-on is dominated by L _S +L _D)				

Thermal Resistance

Symbol	Parameter	Min.	Тур.	Max.	Units
$R_{\theta JC}$	Junction-to-Case			0.42	°C \\\\
R _{0J-PCB}	Junction-to-PC Board (Soldered to 2" sq.inch copper clad board)		1.6		°C/W

Footnotes:

- ① Repetitive Rating; Pulse width limited by maximum junction temperature.
- $^{\circ}$ V_{DD} = 50V, starting T_J = 25°C, L = 2.5mH, Peak I_L = 20A, V_{GS} = 12V
- $\label{eq:local_special} \begin{tabular}{ll} \begin{tabular}{ll$
- ⑤ Total Dose Irradiation with V_{GS} Bias. 12 volt V_{GS} applied and V_{DS} = 0 during irradiation per MIL-STD-750, Method 1019, condition A.
- ⑥ Total Dose Irradiation with V_{DS} Bias. 400 volt V_{DS} applied and V_{GS} = 0 during irradiation per MIL-STD-750, Method 1019, condition A.



Radiation Characteristics

IR HiRel Radiation Hardened MOSFETs are tested to verify their radiation hardness capability. The hardness assurance program at IR HiRel is comprised of two radiation environments. Every manufacturing lot is tested for total ionizing dose (per notes 5 and 6) using the TO-3 package. Both pre- and post-irradiation performance are tested and specified using the same drive circuitry and test conditions in order to provide a direct comparison.

Table1. Electrical Characteristics @ Tj = 25°C, Post Total Dose Irradiation \$6

Symbol	Parameter	100 kF	Rads (Si)	Units	Test Conditions	
Syllibol	Farameter	Min.	Max.	Ullits	rest conditions	
BV _{DSS}	Drain-to-Source Breakdown Voltage	500		V	$V_{GS} = 0V, I_{D} = 1.0mA$	
$V_{GS(th)}$	Gate Threshold Voltage	2.0	4.5	V	$V_{DS} = V_{GS}$, $I_D = 1.0 \text{mA}$	
I _{GSS}	Gate-to-Source Leakage Forward		100	nA	V _{GS} = 20V	
I _{GSS}	Gate-to-Source Leakage Reverse		-100	nA	V _{GS} = -20V	
I _{DSS}	Zero Gate Voltage Drain Current		50	μA	$V_{DS} = 400V, V_{GS} = 0V$	
R _{DS(on)}	Static Drain-to-Source ④ On-State Resistance (TO-3)		0.32	Ω	V _{GS} = 12V, I _{D2} = 12A	
R _{DS(on)}	Static Drain-to-Source ④ On-State Resistance (SupIR-SMD)		0.32	Ω	V _{GS} = 12V, I _{D2} = 12A	
V _{SD}	Diode Forward Voltage		1.8	V	V _{GS} = 0V, I _S = 20A	

IR HiRel radiation hardened MOSFETs have been characterized in heavy ion environment for Single Event Effects (SEE). Single Event Effects characterization is illustrated in Fig. a and Table 2.

Table 2. Typical Single Event Effect Safe Operating Area

	LET	F	Danas	VDS (V)				
lon	LET (MeV/(mg/cm²))	Energy (MeV)	(µm)	@ VGS = 0V	@ VGS = -5V	@ VGS = -10V	@ VGS = -15V	@ VGS = -20V
Cu	28	285	43	375	375	375	375	375
Br	36.8	305	39	350	350	350	325	300
Ni	26.6	265	42		375			




Fig a. Typical Single Event Effect, Safe Operating Area

For Footnotes, refer to the page 2.

Pre-Irradiation




Fig 1. Typical Output Characteristics




Fig 3. Typical Transfer Characteristics




Fig 5. Typical Capacitance Vs. Drain-to-Source Voltage




Fig 2. Typical Output Characteristics




Fig 4. Normalized On-Resistance Vs. Temperature




Fig 6. Typical Gate Charge Vs. Gate-to-Source Voltage

Pre-Irradiation




Fig 7. Typical Source-Drain Diode Forward Voltage




Fig 9. Maximum Drain Current Vs.Case Temperature




Fig 8. Maximum Safe Operating Area




Fig 10. Maximum Avalanche Energy Vs. Drain Current




Fig 11. Maximum Effective Transient Thermal Impedance, Junction-to-Case






Fig 12a. Unclamped Inductive Test Circuit




Fig 13a. Gate Charge Waveform




Fig 14a. Switching Time Test Circuit




Fig 12b. Unclamped Inductive Waveforms




Fig 13b. Gate Charge Test Circuit





Fig 14b. Switching Time Waveforms



Note: For the most updated package outline, please see the website: SMD-2

Case Outline and Dimensions — SMD-2





www.infineon.com/irhirel

Infineon Technologies Service Center: USA Tel: +1 (866) 951-9519 and International Tel: +49 89 234 65555

Leominster, Massachusetts 01453, USA Tel: +1 (978) 534-5776

San Jose, California 95134, USA Tel: +1 (408) 434-5000

Data and specifications subject to change without notice.



IMPORTANT NOTICE

The information given in this document shall be in no event regarded as guarantee of conditions or characteristic. The data contained herein is a characterization of the component based on internal standards and is intended to demonstrate and provide guidance for typical part performance. It will require further evaluation, qualification and analysis to determine suitability in the application environment to confirm compliance to your system requirements.

With respect to any example hints or any typical values stated herein and/or any information regarding the application of the product, Infineon Technologies hereby disclaims any and all warranties and liabilities of any kind including without limitation warranties on non- infringement of intellectual property rights and any third party.

In addition, any information given in this document is subject to customer's compliance with its obligations stated in this document and any applicable legal requirements, norms and standards concerning customer's product and any use of the product of Infineon Technologies in customer's applications.

The data contained in this document is exclusively intended for technically trained staff. It is the responsibility of any customer's technical departments to evaluate the suitability of the product for the intended applications and the completeness of the product information given in this document with respect to applications.

For further information on the product, technology, delivery terms and conditions and prices, please contact your local sales representative or go to (www.infineon.com/irhirel).

WARNING

Due to technical requirements products may contain dangerous substances. For information on the types in question, please contact your nearest Infineon Technologies office.