

RADIATION HARDENED POWER MOSFET THRU-HOLE (LOW OHMIC - TO-257AA)

250V, N-CHANNEL Rechnology

Product Summary

Part Number	Radiation Level	RDS(on)	Ι _D
IRHYS6S7234CM	100 kRads(Si)	0.22Ω	12A
IRHYS6S3234CM	300 kRads(Si)	0.22Ω	12A



Description

IR HiRel R6 S-line technology provides high performance power MOSFETs for space applications. These devices have been characterized for both Total Dose and Single Event Effect (SEE) with useful performance up to LET of 60 (MeV/(mg/cm²). The combination of low RDs(on) and low gate charge reduces the power losses in switching applications such as DC-DC converters and motor controllers. These devices retain all of the well established advantages of MOSFETs such as voltage control, fast switching and temperature stability of electrical parameters.

Features

- Low RDS(on)
- Fast Switching
- Single Event Effect (SEE) Hardened
- Low Total Gate Charge
- Simple Drive Requirements
- Hermetically Sealed
- · Ceramic Eyelets
- Electrically Isolated
- Light Weight
- ESD Rating: Class 2 per MIL-STD-750, Method 1020

Absolute Maximum Ratings

Pre-Irradiation

Symbol	Parameter	Value	Units	
I _{D1} @ V _{GS} = 12V, T _C = 25°C	Continuous Drain Current	12		
I _{D2} @ V _{GS} = 12V, T _C = 100°C	Continuous Drain Current	7.6	Α	
I _{DM} @T _C = 25°C	Pulsed Drain Current ①	48		
P _D @T _C = 25°C	Maximum Power Dissipation	75	W	
	Linear Derating Factor	0.6	W/°C	
V_{GS}	Gate-to-Source Voltage	± 20	V	
E _{AS}	Single Pulse Avalanche Energy ②	80	mJ	
I _{AR}	Avalanche Current ①	12	Α	
E _{AR}	Repetitive Avalanche Energy ①	7.5	mJ	
dv/dt	Peak Diode Recovery dv/dt ③	5.2	V/ns	
T _J	Operating Junction and	-55 to 150		
T _{STG}	Storage Temperature Range	-55 to 150	°C	
	Lead Temperature	300 (0.063 in. /1.6 mm from case for 10s)		
	Weight	4.3 (Typical)	g	

For footnotes refer to the page 2.



Electrical Characteristics @ Tj = 25°C (Unless Otherwise Specified)

Symbol	Parameter	Min.	Тур.	Max	Units	Test Conditions
BV _{DSS}	Drain-to-Source Breakdown Voltage	250			V	$V_{GS} = 0V, I_D = 1.0mA$
$\Delta BV_{DSS}/\Delta T_{J}$	Breakdown Voltage Temp. Coefficient		0.26		V/°C	Reference to 25°C, $I_D = 1.0$ mA
R _{DS(on)}	Static Drain-to-Source On-Resistance			0.22	Ω	V _{GS} = 12V, I _{D2} = 7.6A ④
$V_{GS(th)}$	Gate Threshold Voltage	2.0		4.0	V	$V_{DS} = V_{GS}, I_{D} = 1.0 \text{mA}$
$\Delta V_{GS(th)}/\Delta T_J$	Gate Threshold Voltage Coefficient		-10.2		mV/°C	VDS - VGS, ID - 1.0IIIA
gfs	Forward Transconductance	8.6			Ø	$V_{DS} = 15V, I_{D2} = 7.6A \oplus$
	Zoro Coto Voltago Droin Current			10		$V_{DS} = 200V, V_{GS} = 0V$
I _{DSS}	Zero Gate Voltage Drain Current			25	μA	$V_{DS} = 200V, V_{GS} = 0V, T_{J} = 125^{\circ}C$
1	Gate-to-Source Leakage Forward			100	nA	$V_{GS} = 20V$
I _{GSS}	Gate-to-Source Leakage Reverse			-100	П	$V_{GS} = -20V$
Q_G	Total Gate Charge			40		I _{D1} = 12A
Q_{GS}	Gate-to-Source Charge			12	nC	$V_{DS} = 125V$
Q_GD	Gate-to-Drain ('Miller') Charge			12		V _{GS} = 12V
t _{d(on)}	Turn-On Delay Time			19		V _{DD} = 125V
t _r	Rise Time			27	no	I _{D1} = 12A
t _{d(off)}	Turn-Off Delay Time			36	ns	$R_G = 7.5\Omega$
t _f	Fall Time			20		$V_{GS} = 12V$
Ls +L _D	Total Inductance		6.8		nH	Measured from Drain lead (6mm / 0.25 in from package) to Source lead (6mm / 0.25 in from package) with Source wire internally bonded from Source pin to Drain pad
C _{iss}	Input Capacitance		1420			$V_{GS} = 0V$
Coss	Output Capacitance		184		pF	$V_{DS} = 25V$
C _{rss}	Reverse Transfer Capacitance		2.2			f = 1.0MHz
R _G	Gate Resistance		0.98		Ω	f = 1.0 MHz, open drain

Source-Drain Diode Ratings and Characteristics

Symbol	Parameter	Min.	Тур.	Max	Units	Test Conditions
Is	Continuous Source Current (Body Diode)			12	Α	
I _{SM}	Pulsed Source Current (Body Diode) ①			48	^	
V_{SD}	Diode Forward Voltage			1.2	V	$T_J = 25^{\circ}C, I_S = 12A, V_{GS} = 0V $ ④
t _{rr}	Reverse Recovery Time		241	450	ns	$T_J = 25^{\circ}C$, $I_F = 12A$, $V_{DD} \le 50V$
Q _{rr}	Reverse Recovery Charge			5.0	μC	di/dt = 100A/µs ④
t _{on}	Forward Turn-On Time	Intrinsic turn-on time is negligible (turn-on is dominated by L _S +L _D)				

Thermal Resistance

Symbol	Parameter	Min.	Тур.	Max.	Units
$R_{ heta JC}$	Junction-to-Case			1.67	°C/W
$R_{\theta JA}$	Junction-to-Ambient (Typical Socket Mount)			80	C/VV

Footnotes:

- ① Repetitive Rating; Pulse width limited by maximum junction temperature.
- $^{\circ}$ V_{DD} = 50V, starting T_J = 25°C, L = 1.1mH, Peak I_L = 12A, V_{GS} = 12V
- $\label{eq:local_spin_spin} \text{\mathbb{S}} \quad I_{SD} \leq 12A, \ di/dt \leq 508A/\mu s, \ V_{DD} \leq 250V, \ T_J \leq 150^{\circ}C$
- \odot Total Dose Irradiation with V_{GS} Bias. 12 volt V_{GS} applied and V_{DS} = 0 during irradiation per MIL-STD-750, Method 1019, condition A.
- \odot Total Dose Irradiation with V_{DS} Bias. 200 volt V_{DS} applied and V_{GS} = 0 during irradiation per MIL-STD-750, Method 1019, condition A.



Radiation Characteristics

IR HiRel Radiation Hardened MOSFETs are tested to verify their radiation hardness capability. The hardness assurance program at International Rectifier is comprised of two radiation environments. Every manufacturing lot is tested for total ionizing dose (per notes 5 and 6) using the TO-3 package. Both pre- and post-irradiation performance are tested and specified using the same drive circuitry and test conditions in order to provide a direct comparison.

Table1. Electrical Characteristics @ Tj = 25°C, Post Total Dose Irradiation \$6

Symbol	Parameter	Up to 300	kRads (Si) 1	Units	Test Conditions	
Syllibol		Min.	Max.	Ullits		
BV _{DSS}	Drain-to-Source Breakdown Voltage	250		V	$V_{GS} = 0V, I_{D} = 1.0mA$	
$V_{GS(th)}$	Gate Threshold Voltage	2.0	4.0	V	$V_{DS} = V_{GS}$, $I_D = 1.0 \text{mA}$	
I _{GSS}	Gate-to-Source Leakage Forward		100	nA	V _{GS} = 20V	
I _{GSS}	Gate-to-Source Leakage Reverse		-100	nA	V _{GS} = -20V	
I _{DSS}	Zero Gate Voltage Drain Current		10	μΑ	V _{DS} = 200V, V _{GS} = 0V	
R _{DS(on)}	Static Drain-to-Source On-State ④ Resistance (TO-3)		0.24	Ω	V _{GS} = 12V, I _{D2} = 7.6A	
R _{DS(on)}	Static Drain-to-Source OnState 4 Resistance (Low Ohmic TO-257AA)		0.22	Ω	V _{GS} = 12V, I _{D2} = 7.6A	
V_{SD}	Diode Forward Voltage		1.2	V	$V_{GS} = 0V, I_{S} = 12A$	

^{1.} Part numbers IRHYS6S7234CM and IRHYS6S3234CM

IR HiRel radiation hardened MOSFETs have been characterized in heavy ion environment for Single Event Effects (SEE). Single Event Effects characterization is illustrated in Fig. a and Table 2.

Table 2. Typical Single Event Effect Safe Operating Area

	_			VD	S (V)	
LET (MeV/(mg/cm ²	Energy (MeV)	Range (µm)	@ VGS = 0V	@ VGS = -5V	@ VGS = -10V	@ VGS = -15V
48.1	798	72.2	250	250	250	250
57.1	982	77.7	250	250	250	




Fig a. Typical Single Event Effect, Safe Operating Area

For footnotes refer to the page 2.






Fig 1. Typical Output Characteristics




Fig 3. Typical Transfer Characteristics




Fig 5. Typical On-Resistance Vs Gate Voltage




Fig 2. Typical Output Characteristics




Fig 4. Normalized On-Resistance Vs. Temperature




Fig 6. Typical On-Resistance Vs Drain Current




Fig 7. Typical Drain-to-Source Breakdown Voltage Vs Temperature




Fig 9. Typical Capacitance Vs. Drain-to-Source Voltage




Fig 11. Typical Source-Drain Diode Forward Voltage




Fig 8. Typical Threshold Voltage Vs Temperature




Fig 10. Typical Gate Charge Vs. Gate-to-Source Voltage





Fig 12. Maximum Drain Current Vs.Case Temperature










Fig 14. Maximum Avalanche Energy Vs. Drain Current




Fig 15. Maximum Effective Transient Thermal Impedance, Junction-to-Case




Fig 16a. Unclamped Inductive Test Circuit




Fig 17a. Gate Charge Waveform




Fig 18a. Switching Time Test Circuit




Fig 16b. Unclamped Inductive Wave-




Fig 17b. Gate Charge Test Circuit





Fig 18b. Switching Time Waveforms



Note: For the most updated package outline, please see the website: TO-257AA

Case Outline and Dimensions — Low –Ohmic (TO-257AA)



BERYLLIA WARNING PER MIL-PRF-19500

Package containing beryllia shall not be ground, sandblasted, machined, or have other operations performed on them which will produce beryllia or beryllium dust. Furthermore, beryllium oxide packages shall not be placed in acids that will produce fumes containing beryllium.



Infineon Technologies Service Center: USA Tel: +1 (866) 951-9519 and International Tel: +49 89 234 65555

Leominster, Massachusetts 01453, USA Tel: +1 (978) 534-5776

San Jose, California 95134, USA Tel: +1 (408) 434-5000

Data and specifications subject to change without notice.



IMPORTANT NOTICE

The information given in this document shall be in no event regarded as guarantee of conditions or characteristic. The data contained herein is a characterization of the component based on internal standards and is intended to demonstrate and provide guidance for typical part performance. It will require further evaluation, qualification and analysis to determine suitability in the application environment to confirm compliance to your system requirements.

With respect to any example hints or any typical values stated herein and/or any information regarding the application of the product, Infineon Technologies hereby disclaims any and all warranties and liabilities of any kind including without limitation warranties on non- infringement of intellectual property rights and any third party.

In addition, any information given in this document is subject to customer's compliance with its obligations stated in this document and any applicable legal requirements, norms and standards concerning customer's product and any use of the product of Infineon Technologies in customer's applications.

The data contained in this document is exclusively intended for technically trained staff. It is the responsibility of any customer's technical departments to evaluate the suitability of the product for the intended applications and the completeness of the product information given in this document with respect to applications.

For further information on the product, technology, delivery terms and conditions and prices, please contact your local sales representative or go to (www.infineon.com/irhirel).

WARNING

Due to technical requirements products may contain dangerous substances. For information on the types in question, please contact your nearest Infineon Technologies office.