IRHNKC9A7234 (JANSR2N7649U3CE)

PD-98001A

Radiation Hardened Power MOSFET
Surface Mount (SMD-0.5e Ceramic Lid)
250V, 17A, N-channel, R9 Superjunction Technology

Features

- Low $R_{DS(on)}$
- Fast switching
- Single event effect (SEE) hardened
- Low total gate charge
- Simple drive requirements
- Hermetically sealed
- Ceramic package
- Light weight
- Surface mount
- ESD rating: class 2 per MIL-STD-750, Method 1020

Product Summary

- **BV_{DSS}**: 250V
- **I_D:** 17A
- **$R_{DS(on), max}$:** 110mΩ
- **$Q_{G, max}$**: 34nC
- **REF:** MIL-PRF-19500/775

SMD-0.5e (Ceramic Lid)

Potential Applications

- DC-DC converter
- Motor drives
- Electric propulsion

Product Validation

Qualified according to MIL-PRF-19500 for space applications

Description

IR HiRel R9 technology provides superior power MOSFETs for space applications. These devices have improved immunity to Single Event Effect (SEE) and have been characterized for useful performance with Linear Energy Transfer (LET) up to 88.6 MeV·cm^2/mg. Their combination of low $R_{DS(on)}$ and faster switching times reduces the power losses and increases power density in today's high speed switching applications such as DC-DC converters and motor controllers. These devices retain all of the well-established advantages of MOSFETs such as voltage control, fast switching and temperature stability of electrical parameters.

Ordering Information

Table 1 Ordering options

Part number	Package	Screening Level	TID Level
IRHNKC9A7234	SMD-0.5e (Ceramic Lid)	COTS	100 krad (Si)
JANSR2N7649U3CE	SMD-0.5e (Ceramic Lid)	JANS	100 krad (Si)
IRHNKC9A3234	SMD-0.5e (Ceramic Lid)	COTS	300 krad (Si)
JANSF2N7649U3CE	SMD-0.5e (Ceramic Lid)	JANS	300 krad (Si)

Table of contents

1 Absolute Maximum Ratings

Table 2 Absolute Maximum Ratings (Pre-Irradiation)

Symbol	Parameter	Value	Unit
I_{D1} @ V_{GS} = 12V, T_C = 25°C	Continuous Drain Current	17	A
I_{D2} @ V_{GS} = 12V, T_C = 100°C	Continuous Drain Current	10.5	A
I_{DM} @ T_C = 25°C	Pulsed Drain Current [1]	68	A
P_D @ T_C = 25°C	Maximum Power Dissipation	75	W
	Linear Derating Factor	0.6	W/°C
V_{GS}	Gate-to-Source Voltage	± 20	V
E_{AS}	Single Pulse Avalanche Energy [2]	331	mJ
I_{AR}	Avalanche Current [1]	17	A
E_{AR}	Repetitive Avalanche Energy [1]	7.5	mJ
dv/dt	Peak Diode Reverse Recovery [3]	15.5	V/ns
T_J T_{STG}	Operating Junction and Storage Temperature Range	-55 to +150	°C
	Lead Temperature	300 (for 5s)	
	Weight	1.0 (Typical)	g

[1] Repetitive Rating; Pulse width limited by maximum junction temperature.
[2] V_{DD} = 150V, starting T_J = 25°C, L = 6.0mH, Peak I_L = 10.5A, V_{GS} = 20V
[3] $I_{SD} \leq$ 17A, di/dt $\leq$ 1360A/µs, $V_{DD} \leq$ 250V, $T_J \leq$ 150°C

2 Device Characteristics

2.1 Electrical Characteristics (Pre-Irradiation)

Table 3 Static and Dynamic Electrical Characteristics @ T_j = 25°C (Unless Otherwise Specified)

Symbol	Parameter	Min.	Typ.	Max.	Unit	Test Conditions
BV_{DSS}	Drain-to-Source Breakdown Voltage	250	—	—	V	V_{GS} = 0V, I_D = 1.0mA
$\Delta BV_{DSS}/\Delta T_J$	Breakdown Voltage Temp. Coefficient	—	0.23	—	V/°C	Reference to 25°C, I_D = 1.0mA
$R_{DS(on)}$	Static Drain-to-Source On-State Resistance	—	—	110	mΩ	V_{GS} = 12V, I_{D2} = 10.5A [1]
$V_{GS(th)}$	Gate Threshold Voltage	2.0	—	4.0	V	$V_{DS} \geq V_{GS}$, I_D = 1mA
$\Delta V_{GS(th)}/\Delta T_J$	Gate Threshold Voltage Coefficient	—	-8.7	—	mV/°C	
Gfs	Forward Transconductance	9.0	—	—	S	V_{DS} = 15V, I_{D2} = 10.5A [1]
I_{DSS}	Zero Gate Voltage Drain Current	—	—	1.0	µA	V_{DS} = 200V, V_{GS} = 0V
		—	—	10		V_{DS} = 200V, V_{GS} = 0V, T_J = 125°C
I_{GSS}	Gate-to-Source Leakage Forward	—	—	100	nA	V_{GS} = 20V
	Gate-to-Source Leakage Reverse	—	—	-100		V_{GS} = -20V
Q_G	Total Gate Charge	—	—	34	nC	I_{D1} = 17A V_{DS} = 125V V_{GS} = 12V
Q_{GS}	Gate-to-Source Charge	—	—	13		
Q_{GD}	Gate-to-Drain ('Miller') Charge	—	—	13		
$t_{d(on)}$	Turn-On Delay Time	—	—	25	ns	I_{D1} = 17A ** V_{DD} = 125V R_G = 7.5Ω V_{GS} = 12V
t_r	Rise Time	—	—	25		
$t_{d(off)}$	Turn-Off Delay Time	—	—	50		
t_f	Fall Time	—	—	25		
$L_s + L_D$	Total Inductance	—	4.0	—	nH	Measured from center of Drain pad to center of Source pad
C_{iss}	Input Capacitance	—	1510	—	pF	V_{GS} = 0V V_{DS} = 25V f = 1.0MHz
C_{oss}	Output Capacitance	—	240	—		
C_{rss}	Reverse Transfer Capacitance	—	1.0	—		
R_G	Gate Resistance	—	1.0	—	Ω	f = 1.0MHz, open drain

** Switching speed maximum limits are based on manufacturing test equipment and capability.

[1] Pulse width ≤ 300 µs; Duty Cycle ≤ 2%

2.2 Source-Drain Diode Ratings and Characteristics (Pre-Irradiation)

Table 4 Source-Drain Diode Characteristics

Symbol	Parameter	Min.	Typ.	Max.	Unit	Test Conditions
I_S	Continuous Source Current (Body Diode)	—	—	17	A	
I_{SM}	Pulsed Source Current (Body Diode) [1]	—	—	68	A	
V_{SD}	Diode Forward Voltage	—	—	1.2	V	$T_J = 25°C$, $I_S = 17A$, $V_{GS} = 0V$ [2]
t_{rr}	Reverse Recovery Time	—	—	335	ns	$T_J = 25°C$, $I_F = 17A$, $V_{DD} \leq 50V$ di/dt = 100A/µs
Q_{rr}	Reverse Recovery Charge	—	—	3.6	µC	
t_{on}	Forward Turn-On Time	Intrinsic turn-on time is negligible (turn-on is dominated by L_S+L_D)				

2.3 Thermal Characteristics

Table 5 Thermal Resistance

Symbol	Parameter	Min.	Typ.	Max.	Unit
$R_{\theta JC}$	Junction-to-Case	—	—	1.67	°C/W

2.4 Radiation Characteristics

IR HiRel radiation hardened MOSFETs are tested to verify their radiation hardness capability. The hardness assurance program at IR HiRel is comprised of two radiation environments. Every manufacturing lot is tested for total ionizing dose (per notes 3 and 4) using the TO-3 package. Both pre- and post-irradiation performance are tested and specified using the same drive circuitry and test conditions in order to provide a direct comparison.

2.4.1 Electrical Characteristics - Post Total Dose Irradiation

Table 6 Electrical Characteristics @ $T_j = 25°C$, Post Total Dose Irradiation [3, 4]

Symbol	Parameter	Up to 300krads (Si)[5]		Unit	Test Conditions
		Min.	Max.		
BV_{DSS}	Drain-to-Source Breakdown Voltage	250	—	V	$V_{GS} = 0V$, $I_D = 1mA$
$V_{GS(th)}$	Gate Threshold Voltage	2.0	4.0	V	$V_{DS} \geq V_{GS}$, $I_D = 1mA$
I_{GSS}	Gate-to-Source Leakage Forward	—	100	nA	$V_{GS} = 20V$
	Gate-to-Source Leakage Reverse	—	-100		$V_{GS} = -20V$
I_{DSS}	Zero Gate Voltage Drain Current	—	1.0	µA	$V_{DS} = 200V$, $V_{GS} = 0V$
$R_{DS(on)}$	Static Drain-to-Source On-State Resistance (TO-3) [2]	—	110	mΩ	$V_{GS} = 12V$, $I_{D2} = 10.5A$
$R_{DS(on)}$	Static Drain-to-Source On-State Resistance (SMD-0.5e Ceramic Lid) [2]	—	110	m Ω	$V_{GS} = 12V$, $I_{D2} = 10.5A$
V_{SD}	Diode Forward Voltage	—	1.2	V	$V_{GS} = 0V$, $I_F = 17A$

[1] Repetitive Rating; Pulse width limited by maximum junction temperature.
[2] Pulse width ≤ 300 µs; Duty Cycle ≤ 2%
[3] Total Dose Irradiation with V_{GS} Bias. V_{GS}=12V applied and V_{DS} = 0 during irradiation per MIL-STD-750, Method 1019, condition A.
[4] Total Dose Irradiation with V_{DS} Bias. V_{DS} = 200V applied and V_{GS} = 0 during irradiation per MIL-STD-750, Method 1019, condition A.
[5] Part numbers IRHNKC9A7234 (JANSR2N7649U3CE), and IRHNKC9A3234 (JANSF2N7649U3CE)

2.4.2 Single Event Effects – Safe Operating Area

IR HiRel radiation hardened MOSFETs have been characterized in heavy ion environment for Single Event Effects (SEE). Single Event Effects characterization is illustrated in Fig. 1 and Table 7.

Table 7 Typical Single Event Effects Safe Operating Area

LET ($MeV·cm^2/mg$)	Energy (MeV)	Range (µm)	V_{DS} (V)			
			V_{GS} = 0V	V_{GS} = -1V	V_{GS} =- 5V	V_{GS} = -10V
35.7 ± 5%	486 ± 5%	59 ± 10%	250	250	250	250
58.5 ± 5%	865 ± 5%	69 ± 7.5%	250	250	250	250
88.6 ± 5%	1685 ± 5%	90 ± 5%	250	250	—	—



Figure 1 Typical Single Event Effect, Safe Operating Area

3 Electrical Characteristics Curves (Pre-irradiation)



Figure 2 **Typical Output Characteristics**



Figure 3 **Typical Output Characteristics**



Figure 4 **Typical Transfer Characteristics**



Figure 5 **Normalized On-Resistance Vs. Temperature**

Electrical Characteristics Curves (Pre-irradiation)



Figure 6 **Typical On-Resistance Vs. Gate Voltage**



Figure 7 **Typical On-Resistance Vs. Drain Current**



Figure 8 **Typical Drain-to-Source Breakdown Voltage Vs. Temperature**



Figure 9 **Typical Threshold Voltage Vs. Temperature**

Electrical Characteristics Curves (Pre-irradiation)



Figure 10 Typical Capacitance Vs. Drain-to-Source Voltage



Figure 11 Typical Gate Charge Vs. Gate-to-Source Voltage



Figure 12 Typical Source-Drain Vs. Diode Forward Voltage



Figure 13 Maximum Drain Current Vs. Case Temperature

Electrical Characteristics Curves (Pre-irradiation)



Figure 14 Maximum Safe Operating Area



Figure 15 Maximum Avalanche Energy Vs. Junction Temperature



Figure 16 Maximum Effective Transient Thermal Impedance, Junction-to-Case

4 Test Circuits (Pre-irradiation)



Figure 17 Gate Charge Test Circuit



Figure 18 Gate Charge Waveform



Figure 19 Unclamped Inductive Test Circuit



Figure 20 Unclamped Inductive Waveform



Figure 21 Switching Time Test Circuit



Figure 22 Switching Time Waveforms

5 Package outline

Note: For the most updated package outline, please see the website: [SMD-0.5e with Ceramic Lid]



Symbol	Dimensions Inches Min	Inches Max	Millimeters Min	Millimeters Max
BL	0.395	0.405	10.04	10.28
BW	0.291	0.301	7.4	7.64
CH		0.122		3.09
LH	0.008	0.022	0.20	0.55
LW1	0.271	0.281	6.88	7.14
LW2	0.075	0.085	1.91	2.16
LL1	0.208	0.218	5.28	5.54
LL2	0.087	0.097	2.21	2.46
LS1	.165 BSC		4.19 BSC	
LS2	.083 BSC		2.10 BSC	
LS3	.053 BSC		1.35 BSC	
LS4	.234 BSC		5.93 BSC	
Q1	0.06		0.152	
TERM 1	Drain			
TERM 2	Gate			
TERM 3	Source			

Revision history

Document version	Date of release	Description of changes
	06/01/2023	Preliminary datasheet with PPD number (PPD-98001)
Rev A	12/07/2023	Final datasheet with PD number

Trademarks
All referenced product or service names and trademarks are the property of their respective owners.

Edition 2023-12-07

Published by

International Rectifier HiRel Products, Inc.

An Infineon Technologies company

El Segundo, California 90245 USA

Do you have a question about this document?

Email: erratum@infineon.com

Document reference