

# IRHYB9A7034CM JANSR2N7647D5

60V, N-CHANNEL REF: MIL-PRF-19500/775

REF: MIL-PRF-19500/775

# RADIATION HARDENED POWER MOSFET Tabless (Low-Ohmic TO-257AA)

# **Product Summary**

Part Number	Radiation Level	RDS(on)	Ι <sub>D</sub>	QPL Part Number	
IRHYB9A7034CM	100 kRads (Si)	19m $\Omega$	30A*	JANSR2N7647D5	
IRHYB9A3034CM	300 kRads (Si)	19m $\Omega$	30A*	JANSF2N7647D5	



# **Description**

IR HiRel R9 technology provides superior power MOSFETs for space applications. These devices have improved immunity to Single Event Effect (SEE) and have been characterized for useful performance with Linear Energy Transfer (LET) up to 90MeV/(mg/cm²). Their combination of low RDS(on) and faster switching times reduces the power losses and increases power density in today's high speed switching applications such as DC-DC converters and motor controllers. These devices retain all of the well established advantages of MOSFETs such as voltage control, fast switching, ease of paralleling and temperature stability of electrical parameters.

#### **Features**

- Low Rds(on)
- Fast Switching
- Single Event Effect (SEE) Hardened
- Low Total Gate Charge
- Simple Drive Requirements
- Hermetically Sealed
- Electrically Isolated
- Ceramic Eyelets
- Light Weight
- ESD Rating: Class 2 per MIL-STD-750, Method 1020

### **Absolute Maximum Ratings**

# **Pre-Irradiation**

Symbol	Parameter	Value	Units
I <sub>D1</sub> @ V <sub>GS</sub> = 12V, T <sub>C</sub> = 25°C	Continuous Drain Current	30*	
I <sub>D2</sub> @ V <sub>GS</sub> = 12V, T <sub>C</sub> = 100°C	Continuous Drain Current	28	Α
I <sub>DM</sub> @ T <sub>C</sub> = 25°C	Pulsed Drain Current ①	120	
P <sub>D</sub> @ T <sub>C</sub> = 25°C	Maximum Power Dissipation	75	W
	Linear Derating Factor	0.6	W/°C
$V_{GS}$	Gate-to-Source Voltage	± 20	V
E <sub>AS</sub>	Single Pulse Avalanche Energy ②	784	mJ
I <sub>AR</sub>	Avalanche Current ①	30	Α
E <sub>AR</sub>	Repetitive Avalanche Energy ①	7.5	mJ
dv/dt	Peak Diode Recovery dv/dt ③	9.5	V/ns
T <sub>J</sub>	Operating Junction and	55 to 1 150	
T <sub>STG</sub>	Storage Temperature Range	-55 to + 150	°C
	Lead Temperature	300 (0.063 in./1.6mm from case for 10s)	
	Weight	4.3 (Typical)	g

<sup>\*</sup> Current is limited by package

For Footnotes, refer to the page 2.

# Electrical Characteristics @ Tj = 25°C (Unless Otherwise Specified)

Symbol	Parameter	Min.	Тур.	Max.	Units	Test Conditions
BV <sub>DSS</sub>	Drain-to-Source Breakdown Voltage	60			V	$V_{GS} = 0V, I_{D} = 1.0mA$
$\Delta BV_{DSS}/\Delta T_{J}$	Breakdown Voltage Temp. Coefficient		0.07		V/°C	Reference to 25°C, I <sub>D</sub> = 1.0mA
R <sub>DS(on)</sub>	Static Drain-to-Source On-Resistance			19	mΩ	V <sub>GS</sub> = 12V, I <sub>D2</sub> = 28A ④
V <sub>GS(th)</sub>	Gate Threshold Voltage	2.0		4.0	V	\\ -\\   -10m4
$\Delta V_{GS(th)}/\Delta T_J$	Gate Threshold Voltage Coefficient		-9.2		mV/°C	$V_{DS} = V_{GS}$ , $I_D = 1.0 \text{mA}$
Gfs	Forward Transconductance	20			S	V <sub>DS</sub> = 15V, I <sub>D2</sub> = 28A ⊕
I <sub>DSS</sub>	Zero Gate Voltage Drain Current			1.0	μA	$V_{DS} = 48V$ , $V_{GS} = 0V$
	Zero Gate Voltage Drain Current			10	μΛ	$V_{DS} = 48V, V_{GS} = 0V, T_{J} = 125^{\circ}C$
$I_{GSS}$	Gate-to-Source Leakage Forward			100	nA	$V_{GS} = 20V$
	Gate-to-Source Leakage Reverse			-100	ш	$V_{GS} = -20V$
$Q_{G}$	Total Gate Charge			45		$I_{D1} = 30A$
$Q_GS$	Gate-to-Source Charge			14	nC	$V_{DS} = 30V$
$Q_{GD}$	Gate-to-Drain ('Miller') Charge			11		V <sub>GS</sub> = 12V
$t_{d(on)}$	Turn-On Delay Time			20		$V_{DD} = 30V$
tr	Rise Time			40	no	$I_{D1} = 30A$
$t_{d(off)}$	Turn-Off Delay Time			45	ns	$R_G = 7.5\Omega$
t <sub>f</sub>	Fall Time			30		V <sub>GS</sub> = 12V
Ls +L <sub>D</sub>	Total Inductance		6.8		nH	Measured from Drain lead (6mm / 0.25 in from package) to Source lead (6mm/ 0.25 in from package
C <sub>iss</sub>	Input Capacitance		1740			V <sub>GS</sub> = 0V
Coss	Output Capacitance		660		pF	V <sub>DS</sub> = 25V
C <sub>rss</sub>	Reverse Transfer Capacitance		5.0			f = 1.0MHz
$R_G$	Gate Resistance		1.2		Ω	f = 1.0MHz, open drain

# **Source-Drain Diode Ratings and Characteristics**

Symbol	Parameter	Min.	Тур.	Max.	Units	Test Conditions			
Is	Continuous Source Current (Body Diode)			30*	Α				
I <sub>SM</sub>	Pulsed Source Current (Body Diode) ①			120	A				
V <sub>SD</sub>	Diode Forward Voltage			1.2	V	$T_J = 25^{\circ}C, I_S = 30A^*, V_{GS} = 0V$			
t <sub>rr</sub>	Reverse Recovery Time			130	ns	$T_J = 25^{\circ}C, I_F = 30A^*, V_{DD} \le 25V$			
Q <sub>rr</sub>	Reverse Recovery Charge			525	nC	di/dt = 100A/µs ④			
ton	Forward Turn-On Time	Intrinsic turn-on time is negligible (turn-on is dominated by L <sub>S</sub> +L <sub>D</sub> )							

<sup>\*</sup> Current is limited by package

#### Thermal Resistance

Symbol	Parameter	Min.	Тур.	Max.	Units
$R_{\theta JC}$	Junction-to-Case			1.67	°C/W
$R_{\theta JA}$	Junction-to-Ambient (Typical Socket Mount)			80	°C/W

#### Footnotes:

- ① Repetitive Rating; Pulse width limited by maximum junction temperature.
- $^{\circ}$  V<sub>DD</sub> = 60V, starting T<sub>J</sub> = 25°C, L = 2.0mH, Peak I<sub>L</sub> = 28A, V<sub>GS</sub> = 20V
- $\label{eq:local_sd} \ensuremath{ \Im } \quad I_{SD} \leq 30A, \ di/dt \leq 810A/\mu s, \ V_{DD} \leq 60V, \ T_J \leq 150 ^{\circ} C$
- 4 Pulse width  $\leq 300 \ \mu s$ ; Duty Cycle  $\leq 2\%$
- $\odot$  Total Dose Irradiation with V<sub>GS</sub> Bias. 12 volt V<sub>GS</sub> applied and V<sub>DS</sub> = 0 during irradiation per MIL-STD-750, Method 1019, condition A.
- ⑥ Total Dose Irradiation with V<sub>DS</sub> Bias. 48 volt V<sub>DS</sub> applied and V<sub>GS</sub> = 0 during irradiation per MIL-STD-750, Method 1019, condition A.



### **Radiation Characteristics**

IR HiRel Radiation Hardened MOSFETs are tested to verify their radiation hardness capability. The hardness assurance program at IR HiRel is comprised of two radiation environments. Every manufacturing lot is tested for total ionizing dose (per notes 5 and 6) using the TO-3 package. Both pre- and post-irradiation performance are tested and specified using the same drive circuitry and test conditions in order to provide a direct comparison.

Table1. Electrical Characteristics @ Tj = 25°C, Post Total Dose Irradiation \$6

Symbol	Parameter	Up to 300	kRads (Si) 1	Units	Test Conditions	
Syllibol	Faiailletei	Min.	Max.	Ullits	rest conditions	
BV <sub>DSS</sub>	Drain-to-Source Breakdown Voltage	60		V	$V_{GS} = 0V, I_{D} = 1.0mA$	
V <sub>GS(th)</sub>	Gate Threshold Voltage	2.0	4.0	V	$V_{DS} = V_{GS}$ , $I_D = 1.0 \text{mA}$	
I <sub>GSS</sub>	Gate-to-Source Leakage Forward		100	nA	V <sub>GS</sub> = 20V	
I <sub>GSS</sub>	Gate-to-Source Leakage Reverse		-100	nA	V <sub>GS</sub> = -20V	
I <sub>DSS</sub>	Zero Gate Voltage Drain Current		1.0	μA	$V_{DS} = 48V, V_{GS} = 0V$	
R <sub>DS(on)</sub>	Static Drain-to-Source ④ On-State Resistance (TO-3)		20	mΩ	V <sub>GS</sub> = 12V, I <sub>D2</sub> = 28A	
R <sub>DS(on)</sub>	Static Drain-to-Source ④ On-State Resistance (Low-Ohmic TO-257AA)		19	mΩ	V <sub>GS</sub> = 12V, I <sub>D2</sub> = 28A	
V <sub>SD</sub>	Diode Forward Voltage		1.2	V	V <sub>GS</sub> = 0V, I <sub>S</sub> = 30A	

<sup>1.</sup> Part numbers IRHYB9A7034CM (JANSR2N7647D5) and IRHYB9A3034CM (JANSF2N7647D5)

IR HiRel radiation hardened MOSFETs have been characterized in heavy ion environment for Single Event Effects (SEE). Single Event Effects characterization is illustrated in Fig. a and Table 2.

Table 2. Typical Single Event Effect Safe Operating Area

	<b>F</b>	Range (µm)	VDS (V)				
LET (MeV/(mg/cm²))	Energy (MeV)		@ VGS = 0V	@ VGS = -1V	@ VGS = -5V	@ VGS = -10V	
38 ± 5%	355 ± 7.5%	43 ± 7.5%	60	60	60	60	
60 ± 5%	753 ± 7.5%	60 ± 10%	60	60	60	60	
90 ± 5%	1515 ± 7.5%	82 ± 7.5%	60	60			




Fig a. Typical Single Event Effect, Safe Operating Area

For Footnotes, refer to the page 2.




Fig 1. Typical Output Characteristics




Fig 3. Typical Transfer Characteristics




Fig 5. Typical On-Resistance Vs Gate Voltage




Fig 2. Typical Output Characteristics




Fig 4. Normalized On-Resistance Vs. Temperature






Fig 6. Typical On-Resistance Vs Drain Current



**Fig 7.** Typical Drain-to-Source Breakdown Voltage Vs Temperature



**Fig 9.** Typical Capacitance Vs. Drain-to-Source Voltage






Fig 11. Typical Source-Drain Diode Forward Voltage



**Fig 8.** Typical Threshold Voltage Vs Temperature



**Fig 10.** Typical Gate Charge Vs. Gate-to-Source Voltage






Fig 12. Maximum Drain Current Vs.Case Temperature









**Fig 14.** Maximum Avalanche Energy Vs. Drain Current




Fig 15. Maximum Effective Transient Thermal Impedance, Junction-to-Case




Fig 16a. Unclamped Inductive Test Circuit




Fig 17a. Gate Charge Waveform




Fig 18a. Switching Time Test Circuit




Fig 16b. Unclamped Inductive Waveforms




Fig 17b. Gate Charge Test Circuit





Fig 18b. Switching Time Waveforms



Note: For the most updated package outline, please see the website: Low-Ohmic TO-257AA Tabless

#### Case Outline and Dimensions - Low-Ohmic TO-257AA Tabless



#### **BERYLLIA WARNING PER MIL-PRF-19500**

Package containing beryllia shall not be ground, sandblasted, machined, or have other operations performed on them which will produce beryllia or beryllium dust. Furthermore, beryllium oxide packages shall not be placed in acids that will produce fumes containing beryllium.



Infineon Technologies Service Center: USA Tel: +1 (866) 951-9519 and International Tel: +49 89 234 65555

Leominster, Massachusetts 01453, USA Tel: +1 (978) 534-5776

San Jose, California 95134, USA Tel: +1 (408) 434-5000

Data and specifications subject to change without notice.



#### **IMPORTANT NOTICE**

The information given in this document shall be in no event regarded as guarantee of conditions or characteristic. The data contained herein is a characterization of the component based on internal standards and is intended to demonstrate and provide guidance for typical part performance. It will require further evaluation, qualification and analysis to determine suitability in the application environment to confirm compliance to your system requirements.

With respect to any example hints or any typical values stated herein and/or any information regarding the application of the product, Infineon Technologies hereby disclaims any and all warranties and liabilities of any kind including without limitation warranties on non- infringement of intellectual property rights and any third party.

In addition, any information given in this document is subject to customer's compliance with its obligations stated in this document and any applicable legal requirements, norms and standards concerning customer's product and any use of the product of Infineon Technologies in customer's applications.

The data contained in this document is exclusively intended for technically trained staff. It is the responsibility of any customer's technical departments to evaluate the suitability of the product for the intended applications and the completeness of the product information given in this document with respect to applications.

For further information on the product, technology, delivery terms and conditions and prices, please contact your local sales representative or go to (<a href="https://www.infineon.com/irhirel">www.infineon.com/irhirel</a>).

#### **WARNING**

Due to technical requirements products may contain dangerous substances. For information on the types in question, please contact your nearest Infineon Technologies office.